

Dream ST

H 113 • 125

P 108 (Inside tank P90)

L 93 • 125 • 188 • 220 (head) • 250 • 312 • 375 • AE45 • AE90 • AI45 • AI90

TN • RV • TCS • TCB

Serve-over counter with straight lift-up glass, for the display of meat and dairy products.

Installation

Remote
Plug-in

Temperature Range

0 / +2 °C
+3 / +5 °C

Refrigerant

R744
HFC
Glycolic Fluids

Refrigeration

Ventilated

Defrost

Off-cycle
Electric

Classe climatica

3

Illumination

LED
Fluorescent

Front glass

Safety lift-up glass

Base

Boxed
Exposed feet
Straight Panelling

End Side glass panels

Panoramic safety glass
Double mirror

Intermediate glass panels

Panoramic safety glass

Worptop

Stainless Steel 16/23/35 cm

Refrigerated storage

available on L250, L312, L375
(door type)

Closing system

Sliding doors (optional)
Night curtain (optional)

Banco da taglio servito,
con vetri piani sollevabili,
per l'esposizione di salumi,
latticini e carni.

Installazione

Remoto
Plug-in

Temperatura

0 / +2 °C
+3 / +5 °C

Refrigerante

R744
HFC
Fluidi Glicolici

Refrigerazione

Ventilata

Sbrinamento

Fermata compressore
Elettrico

Classe climatica

3

Illuminazione

Led
Tubi fluorescenti

Vetro frontale

Cristallo temprato

Basamento

Carenato
Piedi
Frontale Dritto

Fianchi Terminali

Panoramici /
Doppio specchio

Fianchi Intermedi

Panoramici

Piano di servizio

Acciaio inox 16/23/35 cm

Riserva refrigerata

disponibile su L250, L312,
L375 (Sportelli)

Chiusura

Scorrevoli (optional)
Tenda (optional)

Inside color

Colori interno

Inox AISI 304 Brushed

RAL optional

Outside color


Colori frontale

RAL optional


Side panels

Colori fianchi


RAL optional




Dream ST P90 / H113 TN
L93-125-188-250-312-375-AE-AI




Dream ST P90 / H113 HUR
L93-125-188-250-312-375-AE-AI




Dream ST P90 / H113 TCB
L93-125




Dream ST P90 / H113 TCS
L93-125




Dream ST P90 / H113 N
L93-125-188-250-312-375-AE-AI




Dream ST P90 / H125 TN
L93-125-188-250-312-375-AE-AI




Dream ST P90 / H125 HUR
L93-125-188-250-312-375-AE-AI



Dream ST P90 / H125 TCB
L93-125




Dream ST P90 / H125 TCS
L93-125



Dream ST P90 / H125 N
L93-125-188-250-312-375-AE-AI







Dream TCB H113







Dream HUR H113



Dream TN H125
straight panel base
S/S bumper

Dream HUR H113
straight panel base
S/S bumper



Dream LX

H 120

P 108 (Inside tank P90)

L 93 • 125 • 188 • 250 • 312 • 375

AE45 • AE90 • AI45 • AI90

RV • TCS • TCB • N

Serve-over counter with straight lift-up glass, for the display of meat and dairy products.

Installation

Remote
Plug-in

Temperature Range

0 / +2 °C
+3 / +5 °C

Refrigerant

R744
HFC
Glycolic Fluids

Refrigeration

Ventilated

Defrost

Off-cycle
Electric

Classe climatica

3

Illumination

LED
Fluorescent

Front glass

Safety lift-up glass

Base

Boxed
Exposed feet

End Side glass panels

Panoramic safety glass
Double mirror

Intermediate glass panels

Panoramic safety glass

Worptop

Stainless Steel 16/23/35 cm

Refrigerated storage

available on L250, L312, L375
(door type)

Closing system

Sliding doors (optional)
Night curtain (optional)

Banco da taglio servito, con vetri piani sollevabili, per l'esposizione di salumi, latticini e carni.

Installazione

Remoto
Plug-in

Temperatura

0 / +2 °C
+3 / +5 °C

Refrigerante

R744
HFC
Fluidi Glicolici

Refrigerazione

Ventilata

Shrinamento

Fermata compressore
Elettrico

Classe climatica

3

Illuminazione

Led
Tubi fluorescenti

Vetro frontale

Cristallo temprato

Basamento

Carenato
Piedi

Fianchi Terminali

Panoramici
Doppio specchio

Fianchi Intermedi

Panoramici

Piano di servizio

Acciaio inox 16/23/35 cm

Riserva refrigerata

disponibile su L250, L312, L375
(Sportelli)

Chiusura

Scorrevoli (optional)
Tenda (optional)

Inside color

Colori interno

Inox AISI 304 Brushed S/S

RAL optional

Outside color


Colore esterno

RAL optional

Side panels color


Colori fianchi

RAL optional




Dream LX P90 TN

L93-125-188-250-312-375-AE-AI




Dream LX P90 HUR

L93-125-188-250-312-375-AE-AI




Dream LX P90 TCB

L93-125



Dream LX P90 TCS


L93-125



Dream LX P90 N

L93-125-188-250-312-375-AE-AI





Dream LX HUR
boxed base
S/S bumper



Dream LX TN
boxed base
S/S bumper


Self ST / Self LX

H 86


P 108 (Inside tank P90)

L 93 • 125 • 188 • 250 • 312 • 375 • AE45 • AE90 • AI45 • AI90

TN • RV



Self ST P90 TN
L93-125-188-250-312-375-AE-AI



Self LX P90 TN
L93-125-188-250-312-375-AE-AI

Serve-over counter with straight lift-up glass, for the display of meat and dairy products.

Installation
Remote
Plug-in

Temperature Range
0 / +2 °C
+3 / +5 °C

Refrigerant
R744
HFC
Fluidi Glicolici

Refrigeration
Ventilated

Defrost
Off-cycle
Electric

Classe climatica
3

Front glass
Safety lift-up glass

Base
Boxed
Exposed feet
Straight Panelling (ST only)

End Side glass panels
Panoramic safety glass
Double mirror

Intermediate glass panels
Panoramic safety glass

Worptop
Stainless Steel 16/23/35 cm

Refrigerated storage
available on L250, L312, L375
(door type)

Closing system
Night curtain (optional)

Banco da taglio servito, con vetri piani sollevabili, per l'esposizione di salumi, latticini e carni.

Installazione
Remoto
Plug-in

Temperatura
0 / +2 °C
+3 / +5 °C

Refrigerante
R744
HFC
Fluidi Glicolici

Refrigerazione
Ventilata

Shrinamento
Fermata compressore
Elettrico

Classe climatica
3

Vetro frontale
Cristallo temprato

Basamento
Carenato
Piedi
Frontale diritto (solo ST)

Fianchi Terminali
Panoramici
Doppio specchio

Fianchi Intermedi
Panoramici

Piano di servizio
Acciaio inox 16/23/35 cm

Riserva refrigerata
disponibile su L250, L312, L375
(Sportelli)

Chiusura
Tenda (optional)



Inside color
Colori interno


Inox AISI 304 Brushed S/S
RAL optional

Outside color
Colore esterno

RAL optional

Side panels color
Colori fianchi

RAL optional



Dream ST TN
Straight panel base



Dream ST TN
straight panel base
S/S bumper

