

Globe ST

H 125 • 150

P 110

L 125 • 188 • 220 • 250 • 375

TN • RV

Semivertical multideck for the display of pre-packed products

Installation
Remote

Temperatura range
0 / +2 °C
+3 / +5 °C
+6 / +8 °C

Refrigerant
R744
HFC
Glycolic fluid

Refrigeration
Ventilated

Defrost
Off cycle
Electric

Climate class
3

Illumination
LED
Fluorescent

Base
Boxed
Exposed feet
Straight Panelling

End Side Panels
Panoramic
Mirror
Head Panoramic
Head Mirror

Intermediate Side Panels
Panoramic Globe/Globe
Mirror Globe/Globe
Panoramic Globe/Dream
Mirror Globe/Dream

Shelves
1-3

Closing system
Sliding doors (optional)
Slef-rolling curtain (optional)

Semimurale per l'esposizione di prodotti preconfezionati.

Installazione
Remoto

Temperatura di esercizio
0 / +2 °C
+3 / +5 °C
+6 / +8 °C

Refrigerante
R744
HFC
Fluidi glicolati

Refrigerazione
Ventilata

Sbrinatorio
Fine ciclo
Elettrico

Classe climatica
3

Illuminazione
Led
Tubi fluorescenti

Basamento
Carenato
Piedi
Frontale Dritto

Fianchi terminali
Panoramici
Specchio
Testata panoramici
Testata specchio

Fianchi intermedi
Panoramici Globe/Globe
Specchio Globe/Globe
Panoramici Globe/Dream
Specchio Globe/Dream

Ripiani
da 1 a 3

Chiusura
Scorrevoli (optional)
Tenda (optional)

Inside color
Colori interno


White - Bianco standard
RAL optional

Outside color
Colore esterno


RAL optional

Side panels color
Colori fianchi

RAL optional




Globe ST H125
L125-188-250-375



Globe ST H150
L125-188-250-375



Globe ST H150
straight panel base
S/S bumper






Globe ST H150





Globe ST H125 (joined with Dream ST H125)
straight panel base
S/S bumper



Globe ST H125
straight panel base


Globe LX

H 125 • 150

P 110

L 125 • 188 • 220 • 250 • 375 • Head

TN • RV



Semivertical multideck for the display of pre-packed products

Installation
Remote

Temperatura range
0 / +2 °C
+3 / +5 °C
+6 / +8 °C

Refrigerant
R744
HFC
Glycolic fluid

Refrigeration
Ventilated

Defrost
Off cycle
Electric

Climate class
3

Illumination
LED
Fluorescent

Base
Boxed
Exposed feet

End Side Panels
Panoramic
Mirror

Intermediate Side Panels
Panoramic Globe/Globe
Mirror Globe/Globe
Panoramic Globe/Wing
Mirror Globe/Wing

Shelves
1-3

Closing system
Sliding doors (optional)
Self-rolling curtain (optional)

Semimurale per l'esposizione di prodotti preconfezionati.

Installazione
Remoto

Temperatura di esercizio
0 / +2 °C
+3 / +5 °C
+6 / +8 °C

Refrigerante
R744
HFC
Fluidi glicolati

Refrigerazione
Ventilata

Sbrinatorio
Fine ciclo
Elettrico

Classe climatica
3

Illuminazione
Led
Tubi fluorescenti

Basamento
Carenato
Piedi

Fianchi terminali
Panoramici
Specchio

Fianchi intermedi
Panoramici Globe/Globe
Specchio Globe/Globe
Panoramici Globe/Wing
Specchio Globe/Wing

Ripiani
da 1 a 3

Chiusura
Scorrevoli (optional)
Tenda (optional)

Inside color
Colori interno

White - Bianco standard
RAL optional


Outside color
Colore esterno

RAL optional

Side panels color
Colori fianchi

RAL optional





Globe LX H125 with sliding doors



Globe LX H125
boxed base
S/S bumper



Globe LX H150
boxed base
S/S bumper